7.0 <u>REFERENCES</u>

- American Public Health Association, American Water Works Association, and Water Pollution Control Federation, (1989) Standard Methods for the Examination of Water and Wastewater, 17th Edition.
- Bellaire, J.T., G.A. Parr-Smith, and I.G. Wallis, (1977) Significance of Diurnal Variations in Fecal Coliform Die-Off Rates in the Design of Ocean Outfalls, Journal of Water Pollution Control Federation, Vol. 49, No. 9, pp. 2022-2030.
- Bockemuhl, J., K. Roch, B. Wohlers, V. Aleksic, S. Aleksic, and R. Wokatsch, (1986) Seasonal Distribution of Facultatively Enteropathogenic Vibrios (Vibrio Cholerae, Vibrio Mimicus, Vibrio Parahaemolyticus) in the freshwater of the Elbe River at Hamburg, Journal of Applied Bacteriology, Vol. 60, pp. 435-442.
- Brayton, P.R., R.B. Bode, R.R. Colwell, M.T. MacDonell, H.L. Hall, D.J. Grimes, P.A. West, and T.N. Bryant, (1986) Vibrio Cincinnatinesis sp. nov. A New Human Pathogen, Journal of Clinical Microbiology, Vol. 23, pp. 104-108.
- Broutman, M.A., and D.L. Leonard, (1988) The Quality of Shellfish Growing Waters in the Gulf of Mexico, National Oceanic and Atmospheric Administration's National Estuarine Inventory, U.S. Department of Commerce, 44 pp.
- Bureau of the Census, (1990) 1990 Census of Population and Housing.
- Cabelli, V.J., (1977) Indicators of Recreational Water Quality, Bacterial Indicators/Health Hazards Associated with Water, American Society for Testing and Materials, Ed. A.W. Hoadley and B.J. Dutka, ASTM Special Technical Publication 635, pp. 222-238.
- Cabelli, V.J., A.P. Dufour, L.J. McCabe, and M.A. Levin, (1982) Swimming-Associated Gastroenteritis and Water Quality. Am. J. Epidemiol. Vol. 115, p. 606.
- Chan, K.Y., M.L. Woo, L.Y. Lam, and G.L. French, (1989) Vibrio Parahaemolyticus and Other Halophilic Vibrios Assoicated with Seafood in Hong Kong, Journal of Applied Bacteriology, Vol. 66, pp. 57-64.
- City of Houston, (1991) Unpublished Tabular Information on Sewer System Monitoring.

- Davis, J.W., and R.K. Sizemore, (1982) Incidence of Vibrio Species Associated with Blue Crabs (Callinectes Sapidus) Collected from Galveston Bay, Texas, Applied and Environmental Microbiology, Vol. 43, pp. 1092-1097.
- De La Cruz, A., (1992) Texas Water Commission District 8, Personal Communication.
- De Paola, A., (1981) Vibrio Cholerae in Marine Foods and Environmental Waters: A Literature Review, Journal of Food Science, Vol. 46, pp. 66-70.
- Dutka, B.J., and K.K. Kwan, (1980) Bacteria Die-off and Stream Transport Studies, Water Resources, Vol. 14, pp. 909-915.
- Dufour, A.P., (1977) Escherichia Coli: The Fecal Coliform, Bacterial Indicators/Health Hazards Associated with Water, American Society for Testing and Materials, Ed. A.W. Hoadley and B.J. Dutka, ASTM Special Technical Publication 635, pp. 48-58.
- Dupont, J., (1992) Texas Water Commission, Personal Communication.
- Entringer, M. (1992) Galveston County Health District, Personal Communication.
- Fleisher, J.M., (1991) A reanalysis of Data Supporting U.S. Federal Bacteriological Water Quality Critera Governing Marine Recreational Waters, Research J. WPCF, Vol. 63, No. 3, pp. 259-265.
- Garrett, M.T., (1992) Personal Communication.
- Geldreich, E.E., (1978) Bacterial Populations and Indicator Concepts in Feces, Sewage, Stormwater and Solid Wastes in Indicators of Viruses in Water and Food, G. Berg, Ed., Ann Arbor Science Pub., Inc., Ann Arbor, MI, pp. 51-97.
- Glanton, T., (1992) Unpublished City of Houston Data.
- Groundwater Services, Inc., and Rice University, (1991) Characterization of Non-Point Sources and Loadings to Galveston Bay, Draft Technical Report.
- Hunt, D.A., (1977) Indicators of Quality for Shellfish Waters, Bacterial Indicators/Health Hazards Associated with water, American Society for Testing and Materials, Ed. A.W. Hoadley and B.J. Dutka, ASTM Special Technical Publications 635, pp. 337-345.

- Huq, M.I., K.M.S. Aziz, and R.R. Colwell, (1985) Enterotoxigenic Properties of Vibrio Fluvialis (Group F Vibrio) Isolated from Clinical and Environmental Sources, Journal of Diarrhoer Disease Research, Vol. 3, pp. 96-99.
- Huq, A., S.A. Huq, D.J. Crimes, M. O'Brien, K.H. Chu, J.M. Capuzzo, and R.R. Colwell, (1986) Colonization of the Gut of the Blue Crab (Callinectes Sapidus) by Vibrio Cholerae, Applied and Environmental Microbiology, Vol. 52, pp. 586-588.
- Interstate Shellfish Sanitation Conference, (1990) National Shellfish Sanitation Program Manual of Operation, FDA, Washington D.C.
- Jensen, P.A., W.F. Ritter, and J.M. Tyrawski, (1977) Coliform Bacteria Loadings and Dynamics, Report CMS-C-5-77 to Coastal Sussex County, Delaware 208 Program.
- Jensen, P.A., A. Rola, and J.M. Tyrawski, (1980) Tidal Wetlands and Estuarine Coliform Bacteria, in Wetlands and Estuarine Processes with Emphasis on Modeling, Plenum Press.
- Karunasagar, I., I. Karunasagar, M.N. Venugopal, and C.N. Nagesha, (1987) Survival of Vibrio Parahaemolyticus in Estuarine and Seawater and in Association with Clams, Systematic and Applied Microbiology, Vol. 9, pp. 316-319.
- Kelly, M.T., and E.M. Dan Stroh, (1988) Occurrence of Vibrionaceae in Natural and Cultivated Oyster Populations in the Pacific Northwest, Diagnostic Microbiology and Infections Disease, Vol. 9, pp. 1-6.
- Kelly, M.T., and A. Dinuzzo, (1985) Uptake and Clearance of Vibrio Vulnificus from Gulf Coast Oysters (Crassostrea Virginica), Applied and Environmental Microbiology, Vol. 50, pp. 1548-1549.
- Kenner, B.A., (1978) Fecal Streptococcal Indicators, G. Berg, Ed., Indicators of Viruses in Water and Food, Ann Arbor Science Pub., Inc., Ann Arbor, MI, pp. 147-169.
- Lee, J.V., D.J. Bashford, T.J. Donovan, A.L. Furniss, and P.A. West, (1982) The Incidence of Vibrio Cholerae in Waters, Animals and Birds in Kent, England, Journal of Applied Bacteriology, Vol. 52, pp. 281-291.
- Metcalf & Eddy, Inc., (1991) Wastewater Engineering Treatment Disposal, and Reuse, Third Edition, Revised by G. Tchobanoglous and F.L. Burton, McGraw-Hill, Inc., 1,334 pp.

- Miller, C.J., R.G. Feacham, and B.S. Drasar, (1985) Cholera Epidemiology in Developed and Developing Countries: New Thoughts on Transmission, Seasonality, and Control, Lancet, Vol. i, pp. 261-263.
- Mitchell, R., and C. Chamberlain, (1974) Factors Influencing the Survival of Enteric Micro-organisms in the Sea: An Overview, Proceedings of the International Symposium on the Discharge of Sewage from Sea Outfalls, Pergammon Press, pp. 237-251.
- Morris, J.G., and R.E. Black, (1985) Cholera and Other Vibrioses in the United States, New England Journal of Medicine, Vol. 312, pp. 343-350.
- Office of Technology Assessment, (1987) Wastes in the Marine Environment, U.S. Government Printing Office, Washington, D.C. 312 pp.
- Ogg. J.E., R.A. Ryder, and H.L. Smith, (1989) Isolation of Vibrio Cholerae from Aquatic Birds in Colorado and Utah, Applied and Environmental Microbiology, Vol. 55, pp. 95-99.
- Ray, B., (1991) Texas Department of Health, Division of Epidemiology, Personal Communication.
- Ray, B., (1992) Texas Department of Health, Division of Epidemiology, comment on draft report.
- Rhodes, J.B., H.L. Smith, and J.E. Ogg, (1986) Isolation of Non-01 Vibrio Cholerae Serovars from Surface Waters in Western Colorado, Applied and Environmental Microbiology, Vol. 51, pp. 1216-1219.
- Rodrick, G.E., N.J. Blake, M. Tamplin, J.E. T. Cuba, and M.A. Hood, (1984) The Relationship Between Fecal Coliform Levels and The Occurrence of Vibrios in Apalachicola Bay, Florida, Vibrios in the Environment, Ed. R.R. Colwell, John, Wiley & Sons, pp. 567-575.
- Salmaso, S., D. Greco, B. Bonfiglio, M. Castellani-Pastoris, G. De Felip, A. Bracciotti, G. Sitzia, A. Congiu, G. Piu, G. Angioni, L. Barra, A. Zampieri, and W.B. Baine, (1980) Recurrence of Pelecypod-Associated Cholera in Sardinia, Lancet, Vol. ii, pp. 1124-1127.
- Sehulster, L., (1991) Texas Department of Health, Division of Epidemiology, Personal Communication.

- Seidler, R.J., and T.M. Evans, (1984) Computer-Assisted Analysis of Vibrio Field Data: Four Coastal Areas, Vibrios in the Environment, Ed. R.R. Colwell, John, Wiley & Sons, pp. 411-426.
- Slanetz, L.W., and C.H. Bartley, (1965) Health Laboratory Science, Vol. 2, 142 pp.
- Soil Conservation Service, (1986) Urban Hydrology for Small Watersheds, U.S. Department of Agriculture, Technical Release 55, National Technical Information Service, Springfield, VA.
- Tacket, C.O., F. Brenner, and P.A. Blake, (1984) Clinical Features and an Epidemiologic Study of Vibrio Vulnificus Infections, Journal of Infectious Diseases, Vol. 149, pp. 558-561.
- Tchobanoglous, G., and E. D. Schroeder, (1985) Water Quality Characteristics, Modeling, Modification, Addison-Wesley Publishing Company, 768 pp.
- Texas Department of Health, Division of Shellfish Sanitation Control, (1988) Comprehensive Sanitary Survey of the Producing Waters of Galveston Bay, 136 pp.
- Texas Department of Health, Division of Shellfish Sanitation Control, (1988) Comprehensive Sanitary Survey of the Shellfish Producing Waters of West Galveston Bay.
- Texas Department of Health, U.S. Food and Drug Administration, and U.S. Fish and Wildlife Service, (1990) Cow Trap Lake A Study of Pathogens, Indicators, and Classification of a Texas Shellfish Growing Area, 81 pp.
- Texas Department of Health, (1990) Fish and Shellfish Consumption Advisory, ADV-3.
- Texas Water Commission, (1991) Texas Surface Water Quality Standards, Chapter 307.
- Thomann, R. V., and J.A. Mueller, (1987) Principles of Surface Water Quality Modeling and Control, Pub. Harper & Row, New York, 644 pp.
- U.S. Environmental Protection Agency, (1973) Biological Field and Laboratory Methods for Measuring the Quality of Surface Waters and Effluents.
- U.S. Environmental Protection Agency, (1976) Quality Criteria for Water, U.S. Gov. Printing Office, Washington, D.C.

- U.S. Environmental Protection Agency, (1979) Methods for Chemical Analysis of Water and Wastes, EPA 600/4-79-020.
- U.S. Environmental Protection Agency, (1986) Ambient Water Quality Criteria for Bacteria 1986, U.S. EPA, EPA 44015-84-002, Office of Water Regulations and Standards, Washington, D.C.
- Ward, G., (1991) Hydrographic Segmentation for Galveston Bay, Memorandum, Status and Trends in Water Quality Project, Galveston Bay National Estuary Program.
- West, P.A., (1989) The Human Pathogenic Vibrios A Public Health Update with Environmental Perspective, Epidemiology and Infection, Vol. 103, pp. 1-34.
- Wiles, K., (1992) Texas Department of Health, Division of Shellfish Sanitation Control, Personal Communication.
- Williams, L.A., and P.A. La Rock, (1985) Temporal Occurrence of Vibrio Species Aerononas Hydrophila in Estuarine Sediment, Applied and Environmental Microbiology, Vol. 50, pp. 1490-1495.
- Winslow & Associates, Inc., (1986) Houston Ship Channel Urban Runoff Nonpoint Source Study Relative Significance of Waste Loads Entering the Houston Ship Channel, Texas Water Commission, Water Quality Division, Austin, Texas.